1 PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifiers

1.2

2

Product Brand Name H2Blue

Manufacturer H2 Sciences Inc.

Synonyms Reagent alcohol; Denatured ethanol; SDA40B

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Identified Uses Test reagent No specific uses advised against are identified.

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer H2 Sciences Inc.

1445 American Pacific Dr. Suite 110-239

Henderson, NV 89074

Phone (719) 499-2973

Email contact@h2sciencesinc.com
Website www.h2sciencesinc.com

1.4 Emergency Telephone Number

Emergency phone # (719) 499-2973

HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Cat 3), H225 Eye Irritation (Cat 2A), H319

For the full text of the H-Statements mentioned in this section, see Section 16.

2.2 GHS Label Statements, Including Precautionary Statements

Pictograms



GHS02

GHS07

Signal Word Danger

Hazard Statements

H225 Flammable liquid and vapor H319 Causes serious eye irritation

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 Do not spray on an open flame or other ignition source.

P220 + 233 Keep/store away from combustible materials. Keep tightly closed.

P280 Wear protective goggles/eye protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 IF IN EYES: Remove contact lenses, if present and easy; continue rinsing.

P337 + P313 If eye irritation persists, get medical advice/attention

P370 + P378 In case of fire, use sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool

P501 Dispose of contents/container at an approved waste disposal plant.

2.3 Hazards Not Otherwise Classified or Not Covered by GHS - none

3 COMPOSITION INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous Components

| Component | | Classification | Concentration (by weight) |
|--------------------------|--------------------------------------|---|---------------------------|
| ETHANOL | | | |
| CAS # EC # INDEX # | 64-17-5 200-578-6 603-002-00-5 | Flammable liquid 2, H225 Eye irritant 2A, H319 | >90%, <100% |
| METHYLENE BLUE | | | |
| CAS # EC # INDEX # | 61-73-4 200-515-2 603-002-00-5 | Acute Tox 4, H302 | <1% |
| WATER | | | |
| CAS# EC# | 7732-18-5 231-791-2 | Not Classified | <5% |

All percentages by weight.

Exact percentages have been withheld to protect the proprietary nature of product.

For the full text of the H-Statements mentioned in this section, see Section 16.

| 4 | FIRST AID MEASURES |
|---|--------------------|
|---|--------------------|

4.1 Description of first aid measures

General advice: Consult a physician. Show the safety data sheet to the physician in attendance. Move away from dangerous area.

In case of skin contact: Wash off with soap and water

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician if irritation persists.

If swallowed: DO NOT induce vomiting. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Described in the labeling section (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides, Hydrogen chloride gas

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities.

Keep container tightly closed in a cool, dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

| 8 EXPOSL | IRE CONTROLS / PERSONAL PROTECTION |
|----------|------------------------------------|
|----------|------------------------------------|

8.1 Control Parameters

| ETHANOL (64-17-5) | | | | |
|--------------------------|-------------------------------------|------------------------|--|--|
| ACGIH | NOT APPLICABLE | | | |
| OSHA | OSHA PEL (TWA) (mg/m ³) | 1900 mg/m ³ | | |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm | | |
| METHYLENE BLUE (61-73-4) | | | | |
| ACGIH | NOT APPLICABLE | | | |
| OSHA | NOT APPLICABLE | | | |
| WATER (7732-18-5) | | | | |
| ACGIH | NOT APPLICABLE | | | |
| OSHA | NOT APPLICABLE | | | |

8.2 Exposure controls

Engineering controls

Maintain air concentrations in work space with standards outlined in sections 2 and 3.

Personal protective equipment

Eye contact should be prevented through the use of chemical safety glasses with side shields or splash-proof goggles. An emergency eye wash should be readily accessible to the work area.

To avoid staining of skin, handle with gloves.

| 9 | PHYSICAL AND CHEMICAL PROPERTIES |
|---|----------------------------------|
|---|----------------------------------|

9.1 Information on basic physical and chemical properties

a) Appearance Form:

b) Odor

c) Odor Threshold

d) pH

No data available

e) Melting point/freezing point

f) Initial boiling point and range

Color, Blue; Liquid

Moderate alcohol odor

No data available

No data available

No data available

g) Flash point 15 °C (60 °F) - closed cup

h) Evaporation rate No data available i) Flammability (solid, gas) No data available j) U/L flammability limits No data available k) Vapor pressure No data available No data available I) Vapor density No data available m) Relative density No data available n) Water solubility o) Partition coefficient No data available p) Auto-ignition temp No data available No data available q) Decomposition temp

r) Viscosity
No data available
s) Explosive properties
No data available
t) Oxidizing properties
No data available
u) Specific gravity (ethanol)
0.789 at 20 °C

9.2 Other safety informationNo data available

10

STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended usage and storage conditions.

10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.6 Hazardous decomposition products

Other decomposition products - No data available. In the event of fire: see section 5

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

RTECS: CAS# 64-17-5 KQ6300000

CAS# 61-73-4 SO5600000

Carcinogenicity: CAS# 64-17-5 Not listed as a carcinogen by ACGIH, IARC, NIOSH,

NTP, OSHA, or CA Prop 65

CAS# 61-73-4 Not listed as a carcinogen by ACGIH, IARC, NIOSH,

NTP, OSHA, or CA Prop 65

Acute toxicity: No data available Inhalation: No data available Dermal: No data available Skin corrosion/irritation No data available Serious eye damage/irritation No data available Respiratory/skin sensitization No data available Germ cell mutagenicity No data available No data available Reproductive toxicity No data available Spec. target organ tox. – sgl. exp. Spec. target organ tox. - rptd. exp. No data available Aspiration hazard No data available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Central nervous system depression, Gastrointestinal disturbance, Nausea, Dizziness, Headache, narcosis, May cause convulsions.

Stomach - Irregularities Based on Human Evidence Kidney - Irregularities Based on Human Evidence

Stomach - Irregularities Based on Human Evidence (Ethanol)

12

ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bio-accumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

DISPOSAL CONSIDERATIONS

12.6 Other adverse effects

No data available

·

13.1 Waste treatment methods

Product

13

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14 TRANSPORT INFORMATION

DOT (US)

UN number: 1170 Class: 3 Packing group: II

Proper shipping name: Ethanol solution

IMDG

UN number: 1170
Class: 3
Packing group: II

EMS-No: F-E, S-D

Proper shipping name: Ethanol Solution

IATA

UN number: 1170
Class: 3
Packing group: II

Proper shipping name: Ethanol solution

15

REGULATORY INFORMATION

15.1 US Federal

TSCA:

CAS# 64-17-5 is listed on the TSCA Inventory

CAS# 67-56-1 is listed on the TSCA Inventory

CAS# 61-73-4 is listed on the TSCA Inventory

SARA 302 Components No chemicals in this product are subject to the reporting requirements of

SARA Title III, Section 302.

SARA 313 Components No chemicals in this product are subject to the reporting requirements of

SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

OSHA Highly Hazardous

None of the components are listed.

15.2 US State

Massachusetts Right To Know Components

Ethanol CAS-No. 64-17-5 Revision Date 2007-03-01

Pennsylvania Right To Know Components

Ethanol CAS-No. 64-17-5 Revision Date 2007-03-01

New Jersey Right To Know Components

Ethanol CAS-No. 64-17-5 Revision Date 2007-03-01

Methylene Blue CAS-No. 61-73-4

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

15.3 International

Canadian DSL/NDSL

CAS# 64-17-5 is listed on Canada's DSL list.

CAS# 61-73-4 is listed on Canada's DSL list

Canada Ingredient Disclosure List

CAS# 64-17-5 is listed on Canada's Ingredient Disclosure List

CAS# 61-73-4 is listed on Canada's Ingredient Disclosure List

EU regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

16 OTHER INFORMATION

Full text of H-Statements referred to under sections 2, 3 and 11.

Acute Tox 4 (Oral) Acute toxicity oral, category 4

Spec. target organ tox. – sgl. exp. Specific target organ toxicity – single exposure Spec. target organ tox. – rptd. exp. Specific target organ toxicity – repeated exposure

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapors

H302 Harmful if swallowed

H319 Causes serious eye irritation.

HMIS Rating

Health hazard: 2
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2016 H2 Sciences Inc. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not claim to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. H2 Sciences Inc. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.H2SciencesInc.com for additional terms and conditions of sale.

Preparation Information

H2 Sciences Inc. Product Safety Department

Version: 2.1 Revision Date: 12/28/2016